

C = Cape Rosier, Maine, July 10-25, 1892

E = Eagle Island " " 15-21 "

S. = Great Spruce Head " " 17. "

Numbers from Portland Catalogue, 2d. Edition, 1892

#12	C	291	C
16	C E	292	C
28	C E S	293	C E S
31	C	299	C
33	C	300	C E S
37	E	306	E
47	E	312	C
52	E	313	C S
78	E	325	C
81	E	333	C E S
82	C	352	C E
83	C E S	354	C
88	E	359	E
96a	C E	360	C E S
128	C	363	C E S
130	C E S	370	E
133	C	371	E
138	C E S	374	C E
140	C E S	379	C E S
143	C E	380	C E
145	C E	385	C E S
152	C E	387	C
155	C S	389	C
157	C	392	C S
159	S. near old house	400	S
170	{ E. S. also at E, a form with perfectly white flowers: quite a patch of this form, none of the ordinary green near it, though elsewhere on E.	401	C E
174	C	405	C
176	C E S	407	C
178	C E	410	C E
182	E	418	C
198	C S	419	C
202	C	422	C E
213	E	429	C
214	C E S	430	C E
216	C E S	431	C E
217	C	439	C
219	E	445	C
244	C	446	Nordport, Aug. 1887
248	C	449	C
249	C	462	C
264	C S	463	C E
265	O	468	C
269	C	493	C
270	C E S	501	C
271	C	505	C E
272	C E	506	E S
273	C	509	C E S
274	C	514	C E S
275	C E	522	C E
279	C	529	C E
280	C	534	E
283	C E	526	C E S
286	C E	540	C E S
		542	E

547	E		812	C.E.
548	E.	Persistent by old <sup>house, destroyed over 20 years ago.</sup> <del>gate</del>	820a	C E
553	C		822	C E
556	C E		824	C E
557	C E S		825	C E
561	C E S		827	E
567	C E S		829	C. & bushing
576	C E		831	C E S
579	C E		834	C. E. S.
580	C		836	C E
583	C		837	C. E.
584	C		846	C E
585	E		848	C S
591	C E S		849	S
599	C		853	C
601	C S.		854	C
601a	C		882	S
607	Trackfoot, Aug. 1887: not over 200 ft } elevation		895	C E
609	C E		896	S
613	C E		898	C E S
623	C E		900	C E S
627	C		905	C S
635	E		920	C E S
639	E		942	C
641	S		943	C
644	C		945	C E, down to sea level.
648	C E		952	C E S.
653	C		955	C E
654	C E		956	C E
663	E		958	C
664	C		959	C E
696	C E		966	C E
699	C		968	Trackfoot. Aug. 1887 (fruit)
701	S	along the shore.	977	C.
706	C E S		985	E
708	E		986	C
720	E		990	C
723	E		1001	C
725	E S		1008	C E S
737	C. S., also Cushing, & islands in St. George's Bay.		1010	C E
740	E		1011	C. apparently rarer than 1010
761	C		1024	C
769	C		1025	C E
771	C E S		1028	C
779	E S		1034	C
783	C		1033	C
786	C S		1046	C E
787	C E S		1054	C E S
790	C		1055	C E
793	C E S		1058	E
798	C E S		1067	C E
799	C E	common	1070	C
801	C E	chiefly in marshy places	1073	E
802	C E S	" on rocks	1075	E
			1078	E S



1079	E. S.
1084	C
1090	C
1111	C E
1112	C E
1133	C
1135	E
1138	C E
1141	E
1143	E
1144	C E
1152	C
1156	E
1161	C
1164	Northport Aug. 1887
1177	C, also Cushing July 1888
1178	C
1179	Cushing July 1888
1186	E
1189	C E
1189b	C E
1191	C E
1198	E
1212	C E
1219b	C E
1232	C
1248	E
1261	E. S.
1274	C
1301	E
1309	C
1310	C
1320	C
1322	Northport Aug. 1887
1340	E
1342	C
1349	C E
1350	C
1359	C S
1366	C S
1368	C E
1370	C E
1371	C
1372	C S
1374a	C S
1376	C S
1383	C E S
1387	C S
1389	C S
1390	C S
1399	C
1402a	C
1403	C
1404	C

*Eupatorium purpureum*  
low grounds at C  
*Senecio viscosus*,  
one plant near the shore  
& remote from any house. E.

*Glaux maritima*  
Rather common near  
high water mark. C

*Rhynchos raphanistrum*  
persistent near old houses at  
E. I saw large in  
plants, in blossom, ~~to~~  
at places where the houses  
had been destroyed & the  
garden deserted over 25  
years ago.